# SAFETY DATA SHEET

#### **1. IDENTIFICATION**

| Product Description | Philadelphia Union Navy Blue |
|---------------------|------------------------------|
| Trade Name          | TGIC                         |
| Product #           | MLS178413                    |
| Supplier            | Columbia Coatings            |
|                     | 1173 Industrial Park Rd      |
|                     | Columbia, TN 38401           |
| Contact             | (931) 388-7730 Phone         |
|                     | (931) 388-5573 Fax           |

#### 2. HAZARD IDENTIFICATION

Product is a mixture of hazardous and non-hazardous ingredients compounded in a polymer.

# \*Information pertaining to particular danger for man and environment.

-Harmful by inhalation and/or if swallowed.



#### \*Classification System

-Classification was made according to the latest editions of international substances lists, and expanded upon from company literature data.

| NFPA Ratings | Scale 0-4 |
|--------------|-----------|
| Health       | 1         |
| Fire         | 1         |
| Reactivity   | 0         |

| HMIS Ratings | Scale 0-4 |
|--------------|-----------|
| Health       | 1         |
| Fire         | 1         |
| Reactivity   | 0         |

#### 3. Composition/information on ingredients

| Hazardous                   | Case#      | TLV-ACGIH              | PEL-OSHA              | CONCENTRATE |
|-----------------------------|------------|------------------------|-----------------------|-------------|
| Components                  |            |                        |                       | %           |
| Barium Sulfate              | 7727-43-7  | $5 \text{ mg/m}^3$     | $5 \text{ mg/m}^3$    | 20-50       |
| Titanium Dioxide            | 13463-67-7 | 10 mg/m <sup>3</sup>   | 15 mg/m <sup>3</sup>  | <1          |
| 1,3,5-tris(oxiranylmethyl)- | 2451-62-9  | 0.05 mg/m <sup>3</sup> | n/a                   | 1-5         |
| 1,3,5-triazine-             |            |                        |                       |             |
| 2,4,6(1H,3H,5H)-trione      |            |                        |                       |             |
| Carbon Black                | 1333-86-4  | 3 mg/m <sup>3</sup>    | 3.5 mg/m <sup>3</sup> | <1          |
|                             |            |                        |                       |             |

#### 4. FIRST AID MEASURES

#### \*After Inhalation

-Supply fresh air and seek medical attention.

#### \*After Skin Contact

-Generally the product does not irritate the skin but water and soap can be used for rinsing.

#### \*After Eye Contact

-Rinse opened eye for several minutes under clean running water.

## \*After Swallowing

-Rinse mouth out and then drink water. If symptoms persist, seek medical attention.

#### **5. FIRE FIGHTING MEASURES**

#### \*Suitable Extinguishing Agents

-Use CO2, extinguishing powder or water spray. Fight larger fires with water spray, alcohol, or resistant foam.

#### \*Firefighting Instructions

-Use fully protective equipment with self-contained breathing apparatus.

#### \*Explosion

-Avoid generating dust; fine dust dispersed in the air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

#### \*Personal Protective Equipment

-Wear self-contained respiratory device.

#### 6. ACCIDENTAL RELEASE MEASURES

#### \*Personal Related Safety Precautions

-Ensure adequate ventilation

\*Measure for Environmental Protection

-Do not allow to enter sewer/surface or ground water.

#### \*Measure for Cleaning and Collecting

-Pick up mechanically. Dispose contaminated material as waste according to item 13.

#### 7. HANDLING AND STORAGE

#### \*Information For Safe Handling

-Prevent formation of dust and ensure good ventilation/exhaustion at the workplace.

\*Information About Protection Against Explosions and Fires

-Dust can combine with air in suspended form when applying and can be an explosive mixture.

#### \*Requirements To Be Met By Storerooms and Receptacles

-Store in a cool, dry place in a tightly closed container. Storage temperatures not to exceed 25°C/77°F to ensure product quality. Shelf life of the product at that temperature is up to 2 years, after that, the performance of the products will deteriorate. Protect from heat and direct sunlight. Protect from humidity and water.

# \*Information About Storage In Once Common Storage Facility.

-Not Required

#### 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

# \*Additional Information About Design of Technical Systems

-No Data: See item 7.

#### \*Components with Limited Values That May Require Monitoring at the Workplace. -See product ingredients.

#### \*Personal Protective Equipment

-Keep away from foods, beverages, animals and feed. Wash hands before breaks and at the end of work. The usual precautionary measures for handling chemicals should be followed.

| Protective Equipment for | It is recommended to use MSHA approved respirator when                |
|--------------------------|---|
| Inhalation               | handling powders. Powders are considered nuisance dust.               |
| Hygienic Measures for    | Avoid skin contact; use long sleeve shirts and impermeable gloves     |
| Skin Contact             | at a minimum when handling powders. TYVEK full body suits or          |
|                          | equivalent are recommended for heavy exposure. Be sure to             |
|                          | launder contaminated clothing before reuse. Wash skin with mild       |
|                          | soap and water if contact occurs. If symptoms continue seek           |
|                          | medical attention.  |
| Eye Protection           | Require the use of safety goggles with side shields. Powder           |
|                          | particles can be abrasive on the cornea. In case of eye contact,      |
|                          | flush with plenty of fresh water. If irritation develops or persists, |
|                          | seek medical attention.   |

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

| Physical                     |  |  |
|------------------------------|--|--|
| Form:                        | Solid, finely divided powder                                   |  |
| Color:                       | According to product specs                                     |  |
| Odor:                        | n/a  |  |
| Chemical                     |  |  |
| Specific Gravity:            | Approx. 1.55 g/cm <sup>3</sup>                                 |  |
| Coverage:                    | 124 sq. ft/lb. @ 1 mil   |  |
| Flash Point:                 | n/a  |  |
| Hardness:                    | 2H (ASTM D3363)  |  |
| Danger of Explosion:         | n/a  |  |
| Density:                     | 1.52 g/cm <sup>3</sup>   |  |
| Solubility with Water:       | Insoluble  |  |
| Solvent Content:             | n/a  |  |
| Salt Spray:                  | 1000 Hrs. Pass <1/8" Scribe Creep - No Blisters (ASTM B117)    |  |
| Film Thickness:              | 2 - 3 mils   |  |
| Humidity:                    | 1000 Hrs. Pass <1/16" Scribe Creep - No Blisters (ASTM D-1735) |  |
| Flexibility:                 | 1/8" (ASTM D522)   |  |
| Impact:                      | 100 in-lb. direct & reverse                                    |  |
| <b>Cross Hatch Adhesion:</b> | 5B (ASTM D3359)  |  |

#### **10. STABILITY AND REACTIVITY**

#### \*Product Stability

-No decomposition if used according to specifications.

#### \*Thermal Decomposition/Conditions To Be Avoided

-Decomposition at high temperatures may yield Carbon Dioxide, Carbon Monoxide, Nitrous Oxide and other hazardous gases.

#### \*Dangerous Reactions

-N/A

#### \*Dangerous Products of Decomposition

-N/A

#### **11. TOXICOLOGICAL INFORMATION**

#### \*Primary Irritant Effect

-On the skin – Powder can be irritation through rubbing action, also has a drying effect. -In the eye – Powder can be irritating through rubbing, can cause abrasion on the cornea.

#### \*Sensitization

-Sensitization possible through skin contact.

#### \*Additional Toxicological Information

-The product shows the following danger according to internally approved calculation methods for preparations: Harmful!

#### **12. ECOLOGICAL INFORMATION**

#### \*General Notes

-Water hazard class 1 (Self-Assessment): Slightly hazardous for water.

#### **13. DISPOSAL INFORMATION**

#### \*Packaging

-Disposal must be made according to official regulations.

#### **14. TRANSPORTATION INFORMATION**

#### \*DOT Regulations

-Non-Hazardous / Non-Regulated

# \*Maritime Transportation IMDG

-Non-Polluting

#### **15. REGULATIONS**

#### \*Product Related Hazard Information

-The product has been classified and marked in accordance with directives on hazardous materials.

#### \*Hazard Symbols

-Harmful

\*Hazard-Determining Components of Labeling

# -TGIC

\*Risk Phrases

-Harmful by inhalation and if swallowed.

-May cause sensitization by skin contact.

#### \*Safety Phrases

-Keep out of reach of children.

-Keep container dry.

-Keep container in a well-ventilated area.

-Keep away from food, drink and animals/feed.

-Do not breath gas/fumes/vapors/spray.

-If swallowed, seek medical advice immediately and show this label.

#### **16. OTHER INFORMATION**

THIS INFORMATION IS BASED ON OUR PRESENT KNOWLEDGE. HOWEVER, THIS DOES NOT CONSTITUTE A GUARANTEE FOR ANY SPECIFIC PRODUCT FEATURES AND SHALL NOT ESTABLISH A LEGALLY VALID CONTRACTUAL RELATIONSHIP.